
EVR650 Series

Automatic Truck Restraint



PIONEER's EVR650 Truck Restraint makes automatic dock safety affordable and easy. With just the push of a button, the EVR650 provides in excess of 50,000 lbs. of holding strength for additional safety against unexpected truck movement. The unit's operating system is completely self-contained within a heavy-duty steel console for protection from dock debris, the elements, and accidental damage. The EVR650 works without scheduled adjustments or risky manual effort by the operator. Periodic lubrication is the only maintenance

Warranty

PIONEER offer a 1-year warranty on structural members. A 1-year warranty is provided on mechanical and miscellaneous parts (including materials, labor, and freight).

Guarantee

PIONEER will provide our standard warranty or match any documented competitive warranty in the industry for comparable models. There is no fine print.



Rugged.Dependable.PIONEER.





Automatic Push-button Control allows for easy operation.



Fully Enclosed Motor requires no assembly. Unit installs in approximately 1 hour!



Complete Visual
Communication Package
includes inside/outside signage for
enhanced safety at the dock.

Quality Dock Levelers

Long Lasting

Easy to Install and Operate

Safe

EVR650 Series

Features & Specifications

All PIONEER Truck Restraints meet 1998 ICC (R.I.G.) regulations.

Durability

- Bolt-hole Pattern Design provides optimal holding force.
- Non-impact Operation meets 1998 ICC (R.I.G.) regulations.
- Fully automatic unit provides Restraining Force in excess of 50,000 lbs.

Easy Installation

- Installs in approximately 1 hour.
- Mounts directly to face of new or existing dock using 8 anchor bolts and 2 ground anchors.
- Recommended Factory Consultation available for dock heights of less than 48" or 24" deep pits.
- Optional Factory Provided Blockout available for bumper projections greater than 4" including Edge-of-Dock Levelers).
- Optional Steel Mounting Plate for new construction and Template for **Pre-mounting Attachment bolts.**
- Note: As with all electrical equipment, this unit should not be immersed or submerged. Contact Pioneer for alternative solutions.

Simple Operation

- Fully automatic unit provides reliable operation with simple, **Push-button**
- Low-profile Restraint Housing height and mounted location do not restrict access to dock by smaller vehicles such as UPS trucks, delivery vans, or pick-up trucks.

Safety

- Hook captures and holds all legal R.I.G.'s. Positive Hold Feature maintains R.I.G. contact with hook while allowing free float with vertical truck movement.
- Automatic Restraint Hook is released and retracted effortlessly by dock attendant with just the touch of a button.
- The EVR650 Communication System includes inside/outside Traffic Light Signals and Driver Warning Signs.
- Fully Enclosed Operating System guards against physical and electrical overload.
- Automatic Warning Alarm sounds if the hook does not capture the R.I.G.

NOTE: When the Pit Leveler lip length exceeds 18" Pit depth exceeds 20" notify factory.

of finely crafted, technologically advanced loading dock equipment, including Hydraulic, **Air Operated and Mechanical Pit** Levelers, Edge-of-Dock and Hydraulic Top of Dock Levelers, Portable Dock boards, Vehicle Restraints, Dock Seals & Shelters, High Speed Fabric Roll-Up Doors, and other quality accessories. Just call us toll free for personal, professional customer assistance and responses to all of your product needs.

PIONEER offers a complete line

toll free 1.800.251.3382

Simple Operation



Positive Contact Hook captures and holds all legal R.I.G. (Rear Impact Guards).

Inside/outside Automatic Light System with safety signs.



EVR Communication System includes inside/outside Traffic Light Signals (L.E.D.) and **Driver Warning Signs.**



Dealer Locations

Rugged.Dependable.PIONEER.

DOCK FOURPMENT

P.O. Box • Spring Hill, Tennessee 37174 Phone: 931.486.2296 • Fax: 931.486.0316

www.pioneerleveler.com

PIONEER Dock Equipment is available nationwide. For the location of your nearest PIONEER Dealer call us toll free at 1.800.251.3382.

057517

EVR750 Series

Featuring the FOYCEFlex Hook

Dependable, Affordable Safety that's Easy to Install.

PIONEER's EVR750 Truck Restraint featuring the *ForceFlex* Hook eliminates the need for the dock attendant to leave the building and communicate with the truck driver. With the push of a button the EVR750, with the ForceFlex hook design, offers superior holding strength (in excess of 37,000 lbs.) yet will allow the truck to depart when the release button is pressed no matter the amount of pressure on the R.I.G. (Rear Impact Guard). The Force-*Flex* hook only releases when the dock attendant presses the release button. The unit's operating system is completely self-contained within a heavy-duty steel console for protection from dock debris, the elements and accidental damage. The EVR750 works without scheduled adjustments or risky manual effort by the operator. Periodic lubrication is the only maintenance necessary!

Warranty

PIONEER offer a 1-year warranty on structural members. A 1-year warranty is provided on mechanical and miscellaneous parts (including materials, labor, and freight).


Guarantee

PIONEER will provide our standard warranty or match any documented competitive warranty in the industry for comparable models. There is no fine print.

We build it and we guarantee it!



Rugged.Dependable.PIONEER.





Automatic Push-button Control allows for easy operation.



Fully Enclosed Motor requires no assembly. Unit installs in approximately 1 hour!



Complete Visual
Communication Package
includes inside/outside signage for
enhanced safety at the dock.

Quality Dock Levelers

Long Lasting

Easy to Install and Operate

Safe

EVR750 Series

Features & Specifications

All PIONEER Truck Restraints meet 1998 ICC (R.I.G.) regulations.

Durability

- Bolt-hole Pattern Design provides optimal holding force.
- Non-impact Operation meets 1998 ICC (R.I.G.) regulations.
- Fully automatic unit provides **Restraining Force in excess of 37,000 lbs**.

Easy Installation

- Installs in approximately 1 hour.
- Mounts directly to face of new or existing dock using 8 anchor bolts and 2 ground anchors.
- Recommended Factory Consultation available for dock heights of less than 48" or 24" deep pits.
- Optional Factory Provided Blockout available for bumper projections greater than 4" including Edge-of-Dock Levelers).
- Optional Steel Mounting Plate for new construction and Template for Pre-mounting Attachment bolts.
- **Note:** As with all electrical equipment, this unit should not be immersed or submerged. Contact Pioneer for alternative solutions.

Simple Operation

- Fully automatic unit provides reliable operation with simple, **Push-button** Control.
- Low-profile Restraint Housing height and mounted location do not restrict access to dock by smaller vehicles such as UPS trucks, delivery vans, or pick-up trucks.

Safety

- ForceFlex Hook captures and holds all legal R.I.G.'s. Positive Hold Feature maintains R.I.G. contact with hook while allowing a free float with vertical truck movement.
- Automatic Restraint ForceFlex Hook is released and retracted effortlessly by dock attendant with just the touch of a button.
- The EVR750 Communication System includes inside/outside Traffic Light Signals and Driver Warning Signs.
- Fully Enclosed Operating System guards against physical and electrical overload.
- Automatic Warning Alarm sounds if the hook does not capture the R.I.G.

NOTE: When the Pit Leveler lip length exceeds 18" or Pit depth exceeds 20" notify factory.

PIONEER offers a complete line of finely crafted, technologically advanced loading dock equipment, including Hydraulic, Air Operated and Mechanical Pit Levelers, Edge-of-Dock and Hydraulic Top of Dock Levelers, Portable Dock boards, Vehicle Restraints, Dock Seals & Shelters, High Speed Fabric Roll-Up Doors, and other quality accessories. Just call us toll free for personal, professional customer assistance and responses to all of your product needs.

toll free 1.800.251.3382

Simple Operation



Positive Contact ForceFlex
Hook captures and holds all legal
R.I.G. (Rear Impact Guards).

Inside/outside **Automatic Light System** with safety signs.



EVR Communication System includes inside/outside Traffic Light Signals (L.E.D.) and Driver Warning Signs.



Dealer Locations

Rugged.Dependable.PIONEER.

DOCK FOUIPMENT

P.O. Box • Spring Hill, Tennessee 37174 Phone: 931.486.2296 • Fax: 931.486.0316

www.pioneerleveler.com

PIONEER Dock Equipment is available nationwide. For the location of your nearest PIONEER Dealer call us **toll free at** 1.800.251.3382.

MVR Series

Mechanical Truck Restraint

More than 50,000 lbs. of Restraining Force!

12" - 30" Operating Range

Competitively Priced and Easy to Install.

Pioneer's MVR Series makes dock safety affordable and easy. Featuring a high strength unit with a streamlined, low profile housing, the MVR provides a restraining force in excess of 50,000 lbs. Pioneer's rugged, solid steel housing is built to withstand weathering and truck impact,

Warranty

PIONEER offers a 1-year warranty on structural members. A 1-year warranty is provided on mechanical and miscellaneous parts (including materials, labor, and freight).

Guarantee

PIONEER will provide our standard warranty or match any documented competitive warranty in the industry for comparable models. There is no fine print. We build it and we guarantee it!





Low profile, mechanical MVR bolts directly to the dock face and ground - installs in about 1 hour!



Self-cleaning Spring and hook assembly requires no maintenance and only periodic lubrication.



CAUTION
HOOK MUST
BE DOWN
WHEN BECKING
IN OR
PULLING OUT

Complete Visual
Communication Package
includes inside/outside signage
for enhanced safety at the dock.

Quality Dock Levelers

Long Lasting

Easy to Install and Operate



Rugged.Dependable.PIONEER.

Safe

MVR Series

Features & Specifications

All PIONEER Truck Restraints meet 1998 R.I. G. (Rear Impact Guard) regulations.

Durability

- Bolt Hole Pattern Design provides optimal holding force.
- Non-impact Operation meets 1998 R.I.G. regulations.
- Semi-automatic unit provides Restraining Force in excess of 50,000 lbs.

Easy Installation

- Installs in approximately 1 hour.
- Mounts directly to face of new or existing dock using 8 anchor bolts and 2 ground anchors. Recommended Factory Consultation available for dock heights of less than 48" or 24" deep pits.
- Optional Factory Provided Blockout available for bumper projections greater than 4" (including Edge-of-Dock Levelers).
- Optional Steel Mounting Plate for new construction and Template for Premounting Attachment Bolts.

Simple Operation

- Using the **Activation Bar**, operator depresses and aligns hook with the R.I.G. bar.
- Semi-automatic unit rises to securely capture the R.I.G. Prior to truck departure, operator uses activation bar once more to push hook down and pivot it back into stored position.

Safety

- Exclusive Pivoting Hook captures and holds all legal R.I.G.'s: Allows for debris or snow removal within 4" of dock face.
- Positive Float Feature maintains R.I.G. contact with hook while allowing free float with vertical truck movement.
- Unique Activation Bar allows semi-automatic operation from top of dock. Eliminates need for dock personnel to leave area.
- Complete safety signage is standard. Inside/outside Manually Operated or Automatic Light System with safety signs is optional.

Note: When Pit Leveler lip length exceeds 18" or Pit depth exceeds 20" notify factory.

PIONEER offers a complete line of finely crafted, technologically advanced loading dock equipment, including Hydraulic, Air Operated and Mechanical Pit Levelers, Edge-of-Dock and Hydraulic Top of Dock Levelers, Portable Dock boards, Vehicle Restraints, Dock Seals & Shelters, High Speed Fabric Roll-Up Doors, and other quality accessories. Just call us toll free for personal, professional customer assistance and responses to all of your product needs.

toll free 1.800.251.3382

Optional inside/oustide Manually Operated or Automatic Light System with safety signs.



MVR Communication System includes inside/outside Traffic Light Signals and Driver Warning Signs.





PIONEER Dock Equipment is available nationwide. For the location of your nearest PIONEER Dealer call us **toll free** at 1.800.251.3382.



Rugged.Dependable.PIONEER.

P.O. Box • Spring Hill, Tennessee 37174 Phone: 931.486.2296 • Fax: 931.486.0316 www.pioneerleveler.com

057517

SLR950 Series

Automatic Truck Restraint

Dependable, Affordable Safety that's Easy to Install.

PIONEER's SLR950 Truck Restraint makes automatic dock safety affordable and easy. With just the push of a button, the SLR950 provides in excess of 32,000 lbs. of holding strength for additional safety against unexpected truck movement. The unit's operating system is completely self-contained within a heavy-duty steel console for protection from dock debris, the elements, and accidental damage.

Warranty

PIONEER offers a 1-year warranty on structural members. A 1-year warranty is provided on mechanical and miscellaneous parts (including materials, labor, and freight).

Guarantee

PIONEER will provide our standard warranty or match any documented competitive warranty in the industry for comparable models. There is no fine print. We build it and we guarantee it!





Automatic Push-button Control allows for easy operation.



Fully Enclosed Motor.



Complete Visual
Communication Package
includes inside/outside signage for
enhanced safety at the dock.

Quality Dock Levelers

Long Lasting

Easy to Install and Operate

Safe



Rugged.Dependable.PIONEER.

SLR950 Series

Features & Specifications

All PIONEER Truck Restraints meet 1998 ICC regulations. **Durability**

- Bolt-hole Pattern Design provides optimal holding force.
- The SLR950 is an impact-style vehicle restraint which **combines an advanced communication system with a low-profile carriage and an impact extension bar** that accommodates a wide range of lower R.I.G.'s (rear impact guards).
- Fully automatic unit provides Restraining Force in excess of 32,000 lbs.

Easy Installation

- Mounts directly to face of new or existing dock above ground level keeping the motor clear of flooding water and debris.
- Recommended Factory Consultation available for dock heights of less than 48" or 24" deep pits.
- Note: As with all electrical equipment, this unit should not be immersed or submerged. Contact Pioneer for alternative solutions.

PIONEER offers a complete line of finely crafted, technologically advanced loading dock equipment, including Hydraulic, Air Operated, and Mechanical Pit Levelers, Edge-of-Dock and Hydraulic Top of Dock Levelers, Portable Dock boards, Vehicle Restraints, Dock Seals & Shelters, High Speed Fabric Roll-Up Doors, and other quality accessories. Just call us toll free for personal, professional customer assistance and responses to all of your product needs.

toll free 1.800.251.3382

Simple Operation

- The unit is positioned to the correct height for each individual trailer by the trailer itself.
- Fully automatic unit provides reliable operation with simple, Push-button Control.

Safety

- Hook captures and holds legal R.I.G.'s. from 9" to 27" off ground.
- Positive Hold Feature maintains R.I.G. contact with hook while allowing free float with vertical truck movement.
- Automatic Restraint Hook is released and retracted effortlessly by dock attendant with just the touch of a button.
- The SLR950 Communication System includes inside/outside Traffic Light Signals and Driver Warning Signs.
- Fully Enclosed Operating System guards against physical and electrical overload.
- Automatic Warning Alarm sounds if the hook does not capture the R.I.G.

NOTE: When the Pit Leveler lip length exceeds 18"
Pit depth exceeds 20" notify factory.



Positive Contact Hook captures and holds all legal R.I.G. (Rear Impact Guards).

Inside/outside Automatic Light System with safety signs.



SLR950 Communication System includes inside/outside Traffic Light Signals (L.E.D.) and Driver Warning Signs.



Dealer Locations

PIONEER Dock Equipment is available nationwide. For the location of your nearest PIONEER Dealer call us **toll free at** 1.800.251.3382.

Rugged. Dependable. PIONEER.

P.O. Box • Spring Hill, Tennessee 37174 Phone: 931.486.2296 • Fax: 931.486.0316

www.pioneerleveler.com